



FASTENER TOOLS *2026*

Fastener Tools

STANDARD FASTENER TOOLS

Connect your tool to the application with Bits, Sockets, and Nutsetters from AIMCO

AIMCO has assembled a complete package of commonly used screwdriver bits and nutsetters. Our goal is to supply you with the highest quality bits and nutsetters for your fastener needs. Whether you're in electronics, aerospace, automotive, or general industry, AIMCO has the bits and nutsetters to fit your needs.

MAG-O-NETS®: A Revolutionary Way to Convert Standard Bits to Magnetic Bits


FEATURES AND BENEFITS

- Easy, cost effective alternative to traditional magnetic bit holder and insert combination
- Improves torque transfer by eliminating "wobble effect"
- Easily adjust magnetic attraction by moving Mag-O-Net collar closer to or further from fastener
- Fits virtually any standard screwdriver bit
- Reusable and interchangeable – once a bit is worn out, simply remove your Mag-O-Net and slide it onto the next bit
- Lifetime guarantee on magnetic attraction



*U.S. Patent 5861789

Part #	Inner Diameter (Id)	Outer Diameter (OD)	L
AM1/4Z	7 mm	19 mm	10 mm
AM5Z	6 mm	17.5 mm	10 mm
AM3/16Z	3/16 in	17.5 mm	10 mm
AM5/16Z	5/16 in	20 mm	10 mm



AxxxxxPAM Series
Ink Marking Sockets

INK MARKING SOCKETS


Marking Sockets leave a witness mark of ink when the driving socket makes contact with the fastener being tightened. This eliminates the need to come back with a pen to manually mark the bolt.

- Consists of driving socket and felt pad that holds ink when impregnated
- Ink typically supplied by the user to match their color schemes


To order, contact an AIMCO Customer Service Associate 1-503-254-6600, or toll free 1-800-852-1368.



Bolt



Nut



Bolt clearance

ANTI-MARRING SOCKETS

AIMCO's anti-marring sockets have a protective resin cover that spins freely, preventing damage to application surfaces, and protecting fingers.

CV Series



CVF Series



CVF Series
with Bit Attachment




Ergo-Drive Series

E ERGO-DRIVE sockets are uniquely designed for repeatable, accurate rundowns. They also ensure excellent product quality, longer tool life, and better ergonomics for the tool user. Look for the ERGO-DRIVE **E** logo in this catalog to see where ERGO-DRIVE sockets/extensions benefit tool operation, operator, and rundown.

ERGO-DRIVE VS. STANDARD

ERGO-DRIVE





Recessed Square Drive Sleeve

O-ring retaining insert maximizes secure fit to your pulse tool.



Extension


Standard



Standard Extension


Ergo-Drive

ERGO-DRIVE® SOCKETS PROTECT...




...YOUR INVESTMENT!

Pulse tools are an investment and the anvil is the most expensive single part of any pulse tool. ERGO-DRIVE sockets decrease vibration and wear on this critical component.



...YOUR ASSEMBLERS!

ERGO-DRIVE sockets cause significantly less vibration during fastening than conventional sockets. This allows your assemblers to do their jobs without the worry of vibration related injuries.




...YOUR PRODUCTS!

By reducing run-out and vibration, ERGO-DRIVE sockets allow the most repeatable, accurate rundowns to take place, ensuring excellent product quality.

ERGO DRIVE SERIES

Ergo Drive Sockets: Standard



A-ED Series




Ergo Drive Quick Change Chucks



A-DC Series

Ergo Drive Extensions



A-EDE Series


Sockets

Sockets, Bits, and Nutsetters to Fit All of Your Needs

AIMCO has assembled a complete package of commonly used screwdriver bits and nutsetters. In addition to the following fastener tools, AIMCO can provide specials for virtually any application. Contact an AIMCO Customer Service Associate for more details, 1-503-254-6600, or toll free 1-800-852-1368.

IMPACT SOCKETS

Impact Sockets: Standard A Series



Impact Sockets: Deep A Series




Impact Sockets: Extended A-EX Series




Impact Sockets: Magnetic A-MP / A-MT / A-MS Series


Press Type



Tube Type




Sliding Type



Impact Sockets: Quick Change Chucks A-DC Series



Socket Types



IMPACT SOCKETS (continued)

Impact Sockets: Extensions A-SE Series



Impact Sockets: Surface Drive A-SF / A-SFL Series




Impact Sockets: Double Hex A-D Series




TORX SOCKETS

Torx Sockets: External "E" Type A-TT Series




Torx Sockets: Internal "T" Type A-TE Series




ALLEN SOCKETS

Allen Sockets: Standard A-C Series



Allen Sockets: Extended A-C Series



UNIVERSAL JOINTS AND SOCKETS

Universal Sockets: Standard

A-U Series



Universal Sockets: Extended

A-EU Series



Universal Joints


A-U Series



TAP HOLDING SOCKETS

Tap Holding Sockets


A-TS Series



STUD BOLT SOCKETS

Stud Bolt Sockets


A-P Series



SPLINE SOCKETS


#5 Spline Socket

A-#5 Series




NUTSETTERS

Nutsetters: Standard



Nutsetters: Magnetic


Press Type




Tube Type




Sliding Type



Nutsetters: Universal



Nutsetters: Extensions



SOCKET ADAPTERS

Socket Adapters

A-A Series





PHILLIPS BITS


Phillips Power Bits




Phillips Insert Bits



Phillips ACR Power Bits



Phillips ACR Insert Bits



SLOTTED BITS

Slotted Power Bits



Slotted Insert Bits



ALLEN DRIVE BITS

Allen Drive Power Bits



Allen Drive Insert Bits



TORX BITS

Torx Power Bits: Standard



Torx Power Bits: Tamper Resistant



Torx Insert Bits



Torx Insert Bits: Tamper Resistant



POZIDRIV BITS

Pozidriv Power Bits: Standard




Pozidriv ACR Power Bits



Pozidriv Insert Bits



Pozidriv ACR Insert Bits



SQUARE RECESS BITS

Square Recess Power Bits



Square Recess Insert Bits





TORQ-SET BITS


Torq-Set Power Bits: Standard




Torq-Set ACR Power Bits



Torq-Set Insert Bits




Torq-Set ACR Insert Bits




TRI-WING BITS

Tri-Wing Power Bits: Standard



Tri-Wing ACR Power Bits



Tri-Wing Insert Bits



Tri-Wing ACR Insert Bits



ELECTRIC BITS

Phillips Electric Bits



Slotted Electric Bits




Tri-Wing Insert Bits



BIT HOLDERS AND ADAPTERS


Bit Holders

A-BHD / A-BHM Series



Bit Adapters

A-A Series



Custom Bits, Sockets, and Extensions

CUSTOM BITS, SOCKETS, AND EXTENSIONS FOR THE POWER TOOL USER


AIMCO can provide specials for virtually any application. From design to delivery, AIMCO's quick response ensures high quality, tight tolerance specials.

Specials are available in every style including:



- Deep Socket
- Extended Socket
- Universal
- Allen Head
- Torx Head
- Socket Adapter
- Nut Runner Socket
- Nut Runner Joint
- Nutsetter
- Magnetic Nutsetter
- Universal Nutsetter
- Screwdriver Bits



Sample request forms are shown. Your detailed requirements will allow AIMCO to quickly respond with custom solutions for your fastening applications.




MAGNETIC STYLES:



Magnet		
MP	MT	MS

SOCKET

	H	L	L1	L2	A	ØC	ØD1	ØD2	Sq.
SIZE									
TYPE									




Nutrunner Socket Type A

Min. Qty 10

Magnet			H	L	L1	L2	L3	S	ØD1	A	ØC	ØG	P	F	ØD2	Sq.	Qty.
MP	MT	MS															

✓ box for Ergo Drive



Special Parts



Nutrunner Socket Type B

Min. Qty 10

	H	L	L1	L2	L3	S	ØD1	A	B	ØC	G	P	F	ST	ØD2	Sq.	Qty.
SIZE																	
TYPE																	




Nutrunner Joint Type B

Min. Qty 10

	SQ2	L	L1	L2	L3	L4	S	P1	ØG2	ØE	F	ØG1	P2	ØD2	SQ1	Qty.
SIZE																
TYPE																


✓ box for Ergo Drive



Nutrunner Socket Type B

Min. Qty 10

	H	ØD	L	E	L1	L2	A	B	ØC	Qty.
SIZE										
TYPE										




Socket

Min. Qty 10

Magnet			H	L	L1	L2	A	ØC	ØD1	ØD2	Sq.	Qty.
MP	MT	MS										

✓ box for Ergo Drive




Extension Socket

Min. Qty 10

Magnet			H	L	L1	L2	A	B	ØC	ØD2	ØE	Sq.	Qty.
MP	MT	MS											

✓ box for Ergo Drive



Universal Socket

Min. Qty 10


Magnet			H	L	L1	L2	A	B	ØC	ØD1	ØD2	ØE	ØF	Sq.	Qty.
MP	MT	MS													

✓ box for Ergo Drive

Special Parts

Allen Head / Torx Head

Min. Qty 10




Torx	H	L	L1	L2	ØD	ØE	ØF	Sq.	Qty.

✓ box for Ergo Drive

Socket Adapter


Min. Qty 10



H1	L	L1	L2	L3	ØD	A	B	ØC	ØE	H2	Qty.
SIZE											
TYPE											

(MP) Magnetic Nut Setter


Min. Qty 10



H	L	E	L1	ØD	A	Qty.
SIZE						
TYPE						

(MS) Magnetic Nut Setter


Min. Qty 10



H	L	E	ØD	A	ST	Qty.
SIZE						
TYPE						

(MT) Magnetic Nut Setter


Min. Qty 10



H	L	E	L1	ØD	A	B	ØC	Qty.
SIZE								
TYPE								

Universal Nut Setter


Min. Qty 10



H	L	E	L1	A	ØC	ØD	Qty.

Screwdriver Bit

Min. Qty 500



Point Size	L	L1	L2	ØD1	ØD2	E	H	Qty.

CIRCLE ONE:



Phillips®



Slotted



Torx®



Torx®
Tamper Resistant



Pozidriv®



Supadriv®



Square Recess



Allen Head



Torq-Set®



Tri-Wing®

Conversion Charts

Fraction • Decimal • Metric Conversions (to .32)											
	DECIMAL	MM		DECIMAL	MM		DECIMAL	MM		DECIMAL	MM
1/32	.03125	.7938	9/32	.28125	7.1438	17/32	.53125	13.4938	25/32	.78125	19.8438
1/16	.0625	1.5875	5/16	.3125	7.9375	9/16	.5625	14.2875	13/16	.8125	20.6375
3/32	.09375	2.3812	11/32	.34375	8.7312	19/32	.59375	15.0812	27/32	.84375	21.4312
1/8	.125	3.175	3/8	.375	9.525	5/8	.625	15.875	7/8	.875	22.225
5/32	.15625	3.9688	13/32	.40625	10.3188	21/32	.65625	16.6688	29/32	.90625	23.0188
3/16	.1875	4.7625	7/16	.4375	11.1125	11/16	.6875	17.4625	15/16	.9375	23.8125
7/32	.21875	5.5562	15/32	.46875	11.9062	23/32	.71875	18.2562	31/32	.96875	24.6062
1/4	.25	6.35	1/2	.5	12.7	3/4	.75	19.05	1	1.0	25.4

Thread Size to Hex Size

							
METRIC BOLT SIZE	SOCKET HEX SIZE (MM)	METRIC BOLT SIZE	SOCKET HEX SIZE (MM)	UNC BOLT SIZE	SOCKET HEX SIZE (IN)	SAE BOLT SIZE	SOCKET HEX SIZE (IN)
M 2	4	M 27	41	1/4	7/16	1/4	7/16
M 2.3	4.5	M 30	46	5/16	1/2	5/16	1/2
M 2.6	5	M 33	50	3/8	9/16	3/8	9/16
M 3	5.5	M 36	55	7/16	11/16	7/16	5/8
M 3.5	6	M 39	60	1/2	3/4	1/2	3/4
M 4	7	M 42	65	9/16	7/8	9/16	7/8
M 5	8	M 45	70	5/8	15/16	5/8	15/16
(M 5-6)	9	M 48	75	3/4	1-1/8	3/4	1-1/16
M 6	10	M 52	80	7/8	1-5/16	7/8	1-1/4
M 7	11	M 56	85	1	1-1/2	1-1/8	1-7/16
M 8	13	M 60	90	1-1/8	1-11/16	1-1/4	1-13/16
(M 8)	14	M 64	95	1-1/4	1-7/8	1-3/8	2
M 10	16	M 68	100	1-3/8	2-1/16	1-1/2	2-3/16
(M 10)	17	M 72	105	1-1/2	2-1/4		
M 12	18	M 76	110	1-3/4	2-5/8		
(M 12)	19	M 80	115	2	3		
M 14	21	M 85	120	2-1/4	3-3/8		
(M 14)	22	M 90	130	2-1/2	3-3/4		
M 16	24	M 95	135				
M 18	27	M 100	145				
M 20	30	M 105	150				
(M 22)	32	M 110	155				
M 22	34	M 115	165				
M 24	36	M 120	170				

Torque Conversion Factors

UNITS TO BE CONVERTED	=	SAE			METRIC			INTERNATIONAL SYSTEM - S.I.		
		OZF-IN	LBF-IN	LBF-FT	GF-CM	KGF-CM	KGF-M	MNM	CNM	NM
1 ozf-in	=	1	0.0625	0.005	72	0.072	0.0007	7.062	0.706	0.007
1 lbf-in	=	16	1	0.083	1152.1	1.152	0.0115	113	11.3	0.113
1 lbf-ft	=	192	12	1	13826	13.83	0.138	1356	135.6	1.356
1 gf-cm	=	0.014	0.0009	0.00007	1	0.001	0.00001	0.098	0.01	0.0001
1 kgf-cm	=	13.89	0.868	0.072	1000	1	0.01	98.07	9.807	0.098
1 kgf-m	=	1389	86.8	7.233	100000	100	1	9807	980.7	9.807
1 mN-m	=	0.142	0.009	0.0007	10.2	0.01	0.0001	1	0.1	0.001
1 cN-m	=	1.42	0.088	0.007	102	0.102	0.001	10	1	0.01
1 N-m	=	141.6	8.851	0.738	10197	10.20	0.102	1000	100	1



PRINTED IN THE U.S.A.

LIT-AT125, REV 02-09-26, ©2026 AIMCO

AIMCO CORPORATE HEADQUARTERS

10000 SE Pine Street
Portland, Oregon 97216
Phone: (503) 254-6600
Toll Free: 1-800-852-1368

AIMCO CORPORATION DE MEXICO SA DE CV

Ave. Cristobal Colon 14529
Chihuahua, Chihuahua. 31125
Phone: (01-614) 380-1010
Fax: (01-614) 380-1019