

# Chevron Material Safety Data Sheet

DISCONTINUED - See Section 16.

CHEVRON NL Gear Compound 150

CPS255053  
Page 1 of 6

This Material Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community right-to-know/emergency response reporting requirements under SARA Title III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information incorporated in your MSDS. Discard any previous edition of this MSDS.

PRODUCT DISCONTINUED. This MSDS will no longer be updated.

---

## 1. PRODUCT IDENTIFICATION

---

CHEVRON NL Gear Compound 150

- A HAZARD WARNING IS NOT REQUIRED FOR THIS PRODUCT UNDER  
OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

PRODUCT NUMBER(S): CPS255053  
PRODUCT INFORMATION: (800)582-3835

Revision Number: 9                      Revision Date: 03/20/92                      MSDS Number: 000337  
NDA - No Data Available                      NA - Not Applicable

Prepared According to the OSHA Hazard Communication  
Standard (29 CFR 1910.1200) by the Chevron Environmental  
Health Center, Inc., P.O. Box 4054, Richmond, CA 94804.

---

**2. FIRST AID-EMERGENCY PH. (800)457-2022/(510)233-3737 (24 HR)**

---

**EYE CONTACT:**

No first aid procedures are required. However, as a precaution flush eyes with fresh water for 15 minutes. Remove contact lenses if worn.

**SKIN CONTACT:**

No first aid procedures are required. As a precaution, wash skin thoroughly with soap and water. Remove and wash contaminated clothing.

**INHALATION:**

Since this material is not expected to be an immediate inhalation problem, no first aid procedures are required.

**INGESTION:**

If swallowed, give water or milk to drink and telephone for medical advice. Consult medical personnel before inducing vomiting. If medical advice cannot be obtained, then take the person and product container to the nearest medical emergency treatment center or hospital.

---

**3. IMMEDIATE HEALTH EFFECTS - (ALSO SEE SECTIONS 11 & 12)**

---

**EYE CONTACT:**

This substance is not expected to cause prolonged or significant eye irritation. This hazard evaluation is based on the data from similar materials.

**SKIN IRRITATION:**

This substance is not expected to cause prolonged or significant skin irritation. This hazard evaluation is based on data from similar materials.

**DERMAL TOXICITY:**

The systemic toxicity of this substance has not been determined. However, it should be practically non-toxic to internal organs if it gets on the skin. This hazard evaluation is based on data from similar materials.

**RESPIRATORY/INHALATION:**

The systemic toxicity of this substance has not been determined. However, it should be practically non-toxic to internal organs if inhaled. This hazard evaluation is based on data from similar materials.

**INGESTION:**

The systemic toxicity of this substance has not been determined. However, it should be practically non-toxic to internal organs if swallowed. This hazard evaluation is based on data from similar materials.

---

**4. PROTECTIVE EQUIPMENT**

---

**EYE PROTECTION:**

No special eye protection is usually necessary.

**SKIN PROTECTION:**

No special skin protection is usually necessary. Avoid prolonged or frequently repeated skin contact with this material. Skin contact can be

Revision Number: 9                      Revision Date: 03/20/92                      MSDS Number: 000337  
NDA - No Data Available                      NA - Not Applicable

minimized by wearing protective clothing.

**RESPIRATORY PROTECTION:**

No special respiratory protection is normally required. However, if operating conditions create airborne concentrations which exceed the recommended exposure standards, the use of an approved respirator is required.

**VENTILATION:**

Use adequate ventilation to keep the airborne concentrations of this material below the recommended exposure standard.

---

**5. FIRE PROTECTION**

---

FLASH POINT: (COC) 399F (204C) Min.

AUTOIGNITION: NDA

FLAMMABILITY LIMITS (% by volume in air): Lower: NA Upper: NA

EXTINGUISHING MEDIA:

CO<sub>2</sub>, Dry Chemical, Foam and Water Fog.

**NFPA RATINGS: Health 0; Flammability 1; Reactivity 0; Special NDA;**

**HMIS RATINGS: Health 0; Flammability 1; Reactivity 0; Other NDA;**

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using the guidelines or published evaluations prepared by the National Fire Protection Association or, if applicable, the National Paint and Coating Association, and do not necessarily reflect the hazard evaluation of the Chevron Environmental Health Center. Read the entire document and label before using this product.

**FIRE FIGHTING PROCEDURES:**

For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

**COMBUSTION PRODUCTS:**

Normal combustion forms carbon dioxide, water vapor and may produce oxides of sulfur, nitrogen and phosphorous. Incomplete combustion can produce carbon monoxide.

---

**6. STORAGE, HANDLING, AND REACTIVITY**

---

**HAZARDOUS DECOMPOSITION PRODUCTS:**

NDA

**STABILITY:**

Stable.

**HAZARDOUS POLYMERIZATION:**

Polymerization will not occur.

**INCOMPATIBILITY:**

May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

**SPECIAL PRECAUTIONS:**

DO NOT weld, heat or drill container. Residue may ignite with explosive violence if heated sufficiently. CAUTION! Do not use pressure to empty drum or explosion may result.

Revision Number: 9                      Revision Date: 03/20/92                      MSDS Number: 000337

NDA - No Data Available                      NA - Not Applicable

---

## 7. PHYSICAL PROPERTIES

---

SOLUBILITY: Soluble in hydrocarbon solvents; insoluble in water.

APPEARANCE: Dark green viscous liquid.

BOILING POINT: NA

MELTING POINT: NA

EVAPORATION: NA

SPECIFIC GRAVITY: 0.89 @ 15.6/15.6C

VAPOR PRESSURE: NA

PERCENT VOLATILE (VOLUME %): NA

VAPOR DENSITY (AIR=1): NA

VISCOSITY: 141 cSt @ 40C

---

## 8. ENVIRONMENTAL CONCERNS, SPILL RESPONSE AND DISPOSAL

---

**CHEMTREC EMERGENCY PH. (800)424-9300/(202)483-7616 (24 hr)**

### **SPILL/LEAK PRECAUTIONS:**

This material is not expected to present any environmental problems other than those associated with oil spills.

Stop the source of the leak or release. Clean up releases as soon as possible. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.

### **DISPOSAL METHODS:**

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental or health authorities for approved disposal of this material.

---

## 9. EXPOSURE STANDARDS, REGULATORY LIMITS AND COMPOSITION

---

### COMPOSITION COMMENT:

All the components of this material are on the Toxic Substances Control Act Chemical Substances Inventory.

This product fits the ACGIH definition for mineral oil mist. The ACGIH TLV is 5 mg/m3, the OSHA PEL is 5 mg/m3.

The percent compositions are given to allow for the various ranges of the components present in the whole product and may not equal 100%.

### **PERCENT/CAS# COMPONENT/REGULATORY LIMITS**

Revision Number: 9                  Revision Date: 03/20/92                  MSDS Number: 000337  
NDA - No Data Available                  NA - Not Applicable

100.0 % CHEVRON NL Gear Compound 150

**CONTAINING**

> 97.0 % LUBRICATING BASE OIL  
 5 mg/m3 mist ACGIH TLV  
 10 mg/m3 mist ACGIH STEL  
 5 mg/m3 mist OSHA TWA

The BASE OIL may be a mixture of any of the following: CAS 64741884,  
 CAS 64741895, CAS 64741964, CAS 64741975, CAS 64742014, CAS 64742525,  
 CAS 64742536, CAS 64742547, CAS 64742627, CAS 64742650, CAS 72623837.

< 3.0 % ADDITIVES

TLV - Threshold Limit Value	TWA - Time Weighted Average
STEL - Short-term Exposure Limit	TPQ - Threshold Planning Quantity
RQ - Reportable Quantity	CPS - CUSA Product Code
CC - Chevron Chemical Company	CAS - Chemical Abstract Service Number

**10. REGULATORY INFORMATION**

DOT SHIPPING NAME: NOT DESIGNATED AS A HAZARDOUS MATERIAL BY THE  
 FEDERAL DOT

DOT HAZARD CLASS: NOT APPLICABLE

DOT IDENTIFICATION NUMBER: NOT APPLICABLE

SARA 311 CATEGORIES:

1. Immediate (Acute) Health Effects; NO
2. Delayed (Chronic) Health Effects; NO
3. Fire Hazard; NO
4. Sudden Release of Pressure Hazard; NO
5. Reactivity Hazard; NO

The following components of this material are found on the regulatory  
 lists indicated by the number below the component name:

LUBRICATING BASE OIL  
 is found on lists: 14,15,17,

REGULATORY LISTS SEARCHED:

01=SARA 313	02=MASS RTK	03=NTP Carcinogen
04=CA Prop. 65	05=MI 406	06=IARC Group 1
07=IARC Group 2A	08=IARC Group 2B	09=SARA 302/304
10=PA RTK	11=NJ RTK	12=CERCLA 302.4
13=MN RTK	14=ACGIH TLV	15=ACGIH STEL
16=ACGIH Calculated TLV	17=OSHA TWA	18=OSHA STEL
19=Chevron TLV	20=EPA Carcinogen	21=TSCA Sect 4(e)
22=TSCA Sect 5(a)(e)(f)	23=TSCA Sect 6	24=TSCA Sect 12(b)
25=TSCA Sect 8(a)	26=TSCA Sect 8(d)	28=Canadian WHMIS
29=OSHA CEILING		

Revision Number: 9                      Revision Date: 03/20/92                      MSDS Number: 000337  
 NDA - No Data Available                      NA - Not Applicable

---

**11. PRODUCT TOXICOLOGY DATA**

---

**EYE IRRITATION:**

No product toxicology data available. The hazard evaluation was based on data from similar materials.

**SKIN IRRITATION:**

No product toxicology data available. The hazard evaluation was based on data from similar materials.

**DERMAL TOXICITY:**

No product toxicology data available. The hazard evaluation was based on data from similar materials.

**RESPIRATORY/INHALATION:**

No product toxicology data available. The hazard evaluation was based on data from similar materials.

**INGESTION:**

No product toxicology data available. The hazard evaluation was based on data from similar materials.

---

**12. ADDITIONAL HEALTH DATA**

---

**ADDITIONAL HEALTH DATA COMMENT:**

This product contains petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking, or severe hydrotreating. None of the oils requires a cancer warning under the OSHA Hazard Communication Standard (29 CFR 1910.1200). These oils have not been listed in the National Toxicology Program (NTP) Annual Report nor have they been classified by the International Agency for Research on Cancer (IARC) as; carcinogenic to humans (Group 1), probably carcinogenic to humans (Group 2A), or possibly carcinogenic to humans (Group 2B).

---

\*\*\*\*\*

---

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.